

SAINIK SCHOOL IMPHAL
LIST OF WATER SUPPLY MAINT ITEMS: 2025-26

Sl.No	Items	A/U	LPP	Quoted Rates
1	Alum Ferric	Kg	58	
2	Ball Cork (1/2", 3/4", 1" & 1 1/2")	Pc	350/450/550/700	
3	Bip Cock 2 in 1 (1/2", 3/4", 1")	Pc	1200	
4	Bleaching Powder	Kg	88	
5	Brass Stop Cock 1/2", 3/4", 1", 1 1/2", 2", 3" & 4"	Pc	312/416/624/1235/1495	
6	Brass Water Tape - 1/2", 3/4", 1", 1 1/2", 2"	Pc	50	
7	Chain Wrench (Adjustable upto 4")	Pc	800	
8	Chrome Water Tape 1/2", 3/4", 1", 2"	Pc	650	
9	Clamp with Nut & Bolt	Kg	50	
10	Coir Rope	Kg	10	
11	G.I. Elbow Diff Sizes (1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 3", 4"	Pc	28/40/65/110/130/170/400/600/800	
12	G.I. Elbow Reducer Diff Sizes (1/2"-3/4", 3/4"-1", 1"-1 1/2", 2"-1 1/2", 2"-3/4", 2"-1", 2"-1 1/2", 3"-2", 4"-3")	Pc	45/71/130/325/300/195	
13	G.I. End Cock (1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 4")	Pc	20/30/40/98/120/220/624	
14	G.I. Nipple 4"xDiff Sizes (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Pc	30/40/60/90/120/320/540	
15	G.I. Nipple 6"xDiff Sizes (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Pc	44/54/64/130/230/360/480	
16	G.I. Pipe 1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 4"x20'	Pc	1417/1822/2497/3847/4387/6277/10000	
17	G.I. Reducer Diff Sizes (1/2"-3/4", 3/4"-1", 1"-1 1/2", 2"-1 1/2", 2"-3/4", 2"-1", 2"-1 1/2", 3"-2", 4"-2")	Pc	46/57/104/195/208/220/234/416/780	
18	G.I. Socket Size (1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 4")	Pc	26/41/52/70/104/195/754	
19	G.I.T-Socket Size (1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 4")	Pc	52/78/104/156/182/286/845	
20	G.I. T Reducer (1/2"-3/4", 1/2"-1", 1/2"-1 1/2", 1/2"-2", 3/4"-1, 3/4"-1", 3/4"-1 1/2", 3/4"-2", 1"-1 1/2", 1"-2", 1 1/2"-2", 3"-2", 4"-2")	Pc	67/148/243/391/490/590/690/790/890/990/1050/1200	
21	G.I. Mechanical Joint (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Pc	80/130/189/280/480/780/1200	
22	PVC Hose Pipe 1", 2", 3", 4"	Pc	50	
23	MS Stop Corck (3", 4", 6" & 8")	Pc	80	
24	M-Seal	Pkt	28	
25	Nut & Bolt of (Dif Sizes)	Kg	30	
26	Old Bicycle/Truck Tube (Rejected)	Kg	50	
27	Pipe Ceiling Tap (Tafflow)	Roll	10	
28	Pipe Wrench (Adjustable upto 4")	Kg	800	

29	PVC / Alkathene Pipe ($\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ " $\frac{3}{3}$ " $\frac{4}{4}$ ")	Kg	230	
30	PVC Connector Pipe (Geyser / Wash Basin)	Set	230	
31	PVC Flexible Water Pipe ($\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ ")	Kg / Coil	190	
32	Wash Basin Pillar Cork	Pc	880	
33	CPVC Pipe Class I (3mtr & 5Mtr) CPVC Pipe $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ "	Pc	504/783/1290/1770	
34	CPVC Elbow 90° CPVC Elbow $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ "	Pc	40/57/130/242/498	
35	CPVC Elbow Reducer 90° CPVC Elbow Reducer $\frac{3}{4}$ "x $\frac{1}{2}$ " $\frac{1}{1}$ x $\frac{1}{2}$ " $\frac{1}{1}$ x $\frac{3}{4}$ " $\frac{1}{1\frac{1}{4}}$ x $\frac{3}{4}$ " $\frac{1}{1\frac{1}{4}}$ x $\frac{1}{1}$ " $\frac{1}{1\frac{1}{2}}$ x $\frac{3}{4}$ " $\frac{1}{1\frac{1}{2}}$ x $\frac{1}{1}$ " $\frac{1}{1\frac{1}{2}}$ x $\frac{1}{1\frac{1}{4}}$ " $\frac{2}{2}$ " x $\frac{3}{4}$ " $\frac{2}{2}$ x $\frac{1}{1}$ " $\frac{2}{2}$ x $\frac{1}{1\frac{1}{4}}$ " $\frac{2}{2}$ x $\frac{1}{1\frac{1}{2}}$ "	Pc	117/140/147/179/218/26 1/495/505/519/544	
36	CPVC Elbow 45° CPVC Elbow $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ " 3 Way Elbow $\frac{3}{4}$ "	Pc	42/72/164/252/519 73	
37	Sweep Bend(Socket at both sides) Sweep Bend $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ "	Pc	10/15/18/20	
38	Step Over Bend Step Over Bend $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " (F) $\frac{2}{2}$ " (F)	Pc	2/4/6/8/10/12	
39	Tee (CPVC) Tee $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ "	Pc	48/73/164/294/625	
40	Reducer Tee (CPVC) Reducer Tee $\frac{1}{2}$ "x $\frac{1}{2}$ "x $\frac{3}{4}$ " $\frac{3}{4}$ "x $\frac{1}{2}$ "x $\frac{1}{2}$ " $\frac{3}{4}$ "x $\frac{1}{2}$ "x $\frac{3}{4}$ " Reducer Tee $\frac{3}{4}$ "x $\frac{3}{4}$ "x $\frac{1}{2}$ " $\frac{1}{1}$ x $\frac{1}{2}$ " $\frac{1}{1}$ x $\frac{3}{4}$ " Reducer Tee $\frac{1}{1\frac{1}{4}}$ "x $\frac{1}{1\frac{1}{4}}$ "x $\frac{1}{2}$ " $\frac{1}{1\frac{1}{4}}$ "x $\frac{1}{1\frac{1}{4}}$ "x $\frac{3}{4}$ " Reducer Tee $\frac{1}{1\frac{1}{4}}$ "x $\frac{1}{1\frac{1}{4}}$ "x $\frac{1}{1}$ " $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{2}$ " Reducer Tee $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{1\frac{1}{2}}$ "x $\frac{3}{4}$ " $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{1}$ " Reducer Tee $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{1\frac{1}{2}}$ "x $\frac{1}{1\frac{1}{4}}$ " $\frac{2}{2}$ "x $\frac{2}{2}$ "x $\frac{1}{2}$ " Reducer Tee $\frac{2}{2}$ "x $\frac{2}{2}$ "x $\frac{3}{4}$ " $\frac{2}{2}$ "x $\frac{2}{2}$ "x $\frac{1}{1}$ " $\frac{2}{2}$ "x $\frac{2}{2}$ "x $\frac{1}{1\frac{1}{4}}$ " Reducer Tee $\frac{2}{2}$ "x $\frac{2}{2}$ "x $\frac{1}{1\frac{1}{2}}$ "	Pc	136 136/254 140/254 337/345 657/709 480/550 560/580/657 709	
41	Cross Tee (CPVC) Cross Tee $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ "	Pc	10/15/20	
42	Coupler (Socket) CPVC Coupler (Socket) $\frac{1}{2}$ " $\frac{3}{4}$ " $\frac{1}{1}$ " $\frac{1}{1\frac{1}{4}}$ " $\frac{1}{1\frac{1}{2}}$ " $\frac{2}{2}$ "	Pc	25/40/81/145/301	
	Reducer Coupler (CPVC)			

43	Reducer Coupler 3/4"x1/2", 1x1/2", 1"x3/4", 1 1/4"x1/2"	Pc	56/113	
	Reducer Coupler 1 1/4"x3/4", 1 1/4"x1", 1 1/2"x1/2"		120	
	Reducer Coupler 1 1/2"x3/4", 1 1/2"x1", 1 1/2"x1 1/4"		167/177	
	Reducer Coupler 2"x1/2", 2"x3/4", 2"x1", 2"x1 1/4"		323/297/280	
	Reducer Coupler 2"x1 1/2"		350	
44	Female Adapter Plastic Threaded FAPT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	10/15/16/20/21/25	
45	Male Adapter Plastic Threaded MAPT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	8/10/12/14/16/20	
46	Reducing Male Adapter Plastic Threaded (RMAPT) RMAPT 3/4"x1/2", 1"x3/4"	Pc	8, 10	
	End Cap (CPVC) End Cap 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"		2/2/3/4/5/6	
	Flange with Gasket-End Cap Open End Cap Open 1", 1 1/4", 1 1/2", 2"		2/2/4/10	
48	Flange with Gasket-End Cap Closed End Cap Closed 1", 1 1/4", 1 1/2"	Pc	2, 4, 6	
49	Tank Nipple Tank Nipple 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2"x1/2", 3", 4"	Pc	78/124/193/282/443/189 5/2490/4769	
	50		Tank Nipple (with one side pipe fitment) Tank Nipple 3/4", 1", 1 1/4", 1 1/2", 2"	83/130/227/306/536
51	Hex Nipple Hex Nipple 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	2/2/3/4/5	
52	Union (GI/CI/Brass) Union 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	10/15/18/20/20/22	
53	Non Return Valve (GI/CI/Brass) Non Return Valve 3/4", 1", 1 1/4"	Pc	30/45/55	
54	Ball Valve (GI/CI/Brass) Ball Valve 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	180/220/550/900/1250/1 950	
55	Ball Valve Handle Ball Valve Handle 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	50/60/65/70/80/100	
56	Tee Holder Tee Holder 1/2"x1/2"x1/2", 3/4"x3/4"x1/2", 1"x1"x1/2"	Pc	8,8,8	
57	Elbow Holder Elbow Holder 1/2"x1/2", 1/2"x3/4"	Pc	4, 4	
58	Threaded End Plug Threaded End Plug 1/2", 3/4"	Pc	2, 2	
59	Expansion Loop	Pc		

59	Expansion Loop 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"	Pc	10/15/18/20/22	
60	Elbow 90°(Brass)	Pc		
	Elbow 90°(Brass) 1/2"x1/2", 3/4"x1/2", 3/4"x3/4", 1"x1/2"		106/152/201	
	Elbow 90°(Brass) 1"x3/4", 1"x1", 1 1/4 "x1/2"		310/599/600	
	Elbow 90°(Brass) 1 1/4 "x3/4", 1 1/4 "x1 1/4"		400/720	
61	Brass Elbow with Clamp 3/4"x1/2"	Pc	133	
	Tee (Brass)			
	Tee (Brass) 1/2"x1/2"x1/2", 3/4"x3/4"x1/2", 3/4"x3/4"x3/4"		198/229	
	Tee (Brass) 1"x1"x1/2", 1"x1"x3/4", 1"x1"x1"		336/421	
	Tee (Brass) 1 1/4 "x1 1/4"x1/2"		430	
62	Male Adapter Brass Threaded(MABT)	Pc		
	MABT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3"		310/124/193/282/443/18 95/2490/4769	
63	Reducing Male Adapter Brass Threaded(RMABT)	Pc		
	RMABT 3/4"x1/2", 1"x1/2", 1"x3/4"		187/348/398	
64	Union-MABT	Pc		
	Union-MABT 3/4", 1"		300/380	
65	Female Adapter Brass Threaded(FABT)	Pc		
	FABT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3"		310/480/1000/1133/217 6/3767/4986	
66	Reducing Female Adapter Brass Threaded(RFABT)	Pc		
	RFABT 3/4"x1/2", 1"x1/2", 1"x3/4", 1/4"x1/2"		133/170/185/208	
67	Union FABT	Pc		
	Union FABT 3/4", 1"		45/50	
68	Brass Elbow MABT 3/4"x1/2"	Pc		
	Brass Tee-MABT 3/4"x3/4"x1/2"		30	
	Brass Elbow Long 3/4"x1/2"		30	
69	3 in 1 Mixer Adaptor All Top(6")	Pc		
	3 in 1 Mixer Adaptor 3/4"x1/2", 1"x1/2"		90/110	
70	Top and Bottom (6")	Pc		
	Top and Bottom (6") 3/4"x1/2", (6") 1"x1/2"		60/80	
71	Top and Side (6")	Pc		
	Top and Side (6") 3/4"x1/2", (6") 1"x1/2"		60/80	
72	All Top (7")	Pc		
	All Top (7") 3/4"x1/2", (7") 1"x1/2"		50/60	
73	Top and Bottom (7")	Pc		
	Top and Bottom (7") 3/4"x1/2", (7") 1"x1/2"		80/60	
74	Top and Side (7")	Pc		
	Top and Side (7") 3/4"x1/2", (7") 1"x1/2"		60/65	
75	3 in 1 Mixer Adaptor with MABT Top 3/4"x1/2", 3/4"x1/2", 3/4"x1/2"	Pc	60	

75	Kitchen Mixer Adaptor Down ¾"x½"	Pc	100	
	Kitchen Mixer Adaptor Straight ¾"x½"		100	
76	Extension Nipple - CP	Pc		
	Extension Nipple - CP 1½"x1", ½"x1½", ½"x2"		10,12,14	
	Extension Nipple - CP ½"x2½", ½"x3"		18	
77	Ball Valve with Union Ends	Pc		
	Ball Valve with Union Ends ¾", 1", 1¼", 1½", 2"		60/65/70/80/85	
78	Concealed Valve Quarter Turn-Mini Spindle with Plastic Knob ½", ¾", 1"		90/100/110	
79	Ball Valve with Brass Threaded (One Side) ¾", 1", 1¼"		80/95/105	
	Ball Valve with Brass Threaded (Two Side) ¾", 1", 1¼"		15/16/18	
80	Nail Clamp ¾", 1"	15/18		
81	Powder coated Metal Clamp	Pc		
	Powder coated Metal Clamp ½", ¾", 1", 1¼", 1½", 2"		4	
82	SS Clamp	Pc		
	SS Clamp ½", ¾", 1", 1¼", 1½", 2"		5	
83	Plastic Clamp	Pc		
	Plastic Clamp ½", ¾", 1", 1¼", 1½", 2"		2	
84	Rubber Washer-Tank Nipple	Pc		
	Rubber Washer-Tank Nipple ½", ¾", 1", 1¼", 1½", 2"		2	
85	Rubber Washer-Union	Pc		
	Rubber Washer-Union ½", ¾", 1", 1¼", 1½", 2"		2	
86	Rubber Washer-FAPT	Pc		
	Rubber Washer-FAPT ½", ¾", 1", 1¼", 1½", 2"		2	
87	Rubber Gasket for Flange	Pc		
	Rubber Gasket for Flange 1", 1¼", 1½", 2", 2½", 3"		2	
	Rubber Gasket for Flange 4", 6"		2	
88	1 Step CPVC Yellow Medium solvent Cement 15ml, 29.5ml, 59ml	Pc	100/150/200	
89	2 Step CPVC Heavy Duty Orange Solvent Cement 118ml		284	
90	Purple Primer Solvent Cement 237ml		250	
91	CPVC Pipes 3mtrs (SCH 40)	Pc		
	CPVC Pipes 2½", 3", 4", 6"		5103/6783/10056/18453	
92	CPVC Pipes 5 mtrs (SCH 40)	Pc		
	CPVC Pipes 2½", 3", 4", 6"		8503/11305/16760/30755	

93	CPVC Pipes 3mtrs (SCH 80)	Pc		
	CPVC Pipes 2½",3",4",6"		6783/9285/13524/28914	
94	CPVC Pipes 5 mtrs (SCH 80)	Pc		
	CPVC Pipes 2½",3",4",6"		11305/15475/22540/48190	
95	Elbow 90° (SCH 40)	Pc		
	Elbow 90° - 2½",3",4",6"		220/380/580/1400	
96	Elbow 90° (SCH 80)	Pc		
	Elbow 90° - 2½",3",4",6"		450/550/600/700	
97	Elbow 45° (SCH 80)	Pc		
	Elbow 45° - 2½",3",4"		380/480/580	
98	Sweep Bend without Socket(SCH 40)	Pc		
	Sweep Bend without Socket 2½",3",4",6"		10/15/16/18	
99	Sweep Bend without Socket(SCH 80)	Pc		
	Sweep Bend without Socket 2½",3",4",6"		100/200/250/300	
100	Tee 90° (SCH 40)	Pc		
	Tee 90° - 2½",3",4",6"		200/250/300/350	
101	Tee 90° (SCH 80)	Pc		
	Tee 90° - 2½",3",4",6"		90/95/100/105	
102	Reducer Tee (SCH 40)	Pc		
	Reducer Tee 2½"x¾",2½"x1",2½"x1¼",2½"x1½"		90/92/95/100	
	Reducer Tee 2½"x2",3"x2",3"x2½"		100/120/130	
103	Reducer Tee (SCH 80)	Pc		
	Reducer Tee 2½"x¾",2½"x1",2½"x1¼",2½"x1½"		150/160/170/180	
	Reducer Tee 2½"x2",3"x2",3"x2½"		130/140/150	
104	Coupler (SCH 40)	Pc		
	Coupler 2½",3",4",6"		30/40/50/60	
105	Coupler (SCH 80)	Pc		
	Coupler 2½",3",4",6"		30/40/50/60	
106	Reducer Coupler (SCH 40)	Pc		
	Reducer Couple 2½"x¾",2½"x1",2½"x1¼"		30/40/60	
	Reducer Couple 2½"x1½",2½"x2",3"x2",3"x2½"		40/45/50/55	
107	Reducer Coupler (SCH 80)	Pc		
	Reducer Couple 2½"x¾",2½"x1",2½"x1¼"		45/50/55	
	Reducer Couple 2½"x1½",2½"x2",3"x2",3"x2½"		45/50/55/60	
108	Bushings (SCH 80)	Pc		
	Bushings 2½"x2",3"x2",3"x2½",4"x2",4"x2½"		20/30/40/50/60	

100	Bushings 4"x3",6"x2½",6"x3",6"x4"	Pc	45/50/60/65	
	Bushings (SCH 40)		Not Quoted	
	Bushings 6"x2",6"x2½",6"x3",6"x4"		90/100/110/120	
109	Female Adapter Plastic Threaded-FAPT(SCH 80)	Pc		
	FAPT 2½", 3",4"		30/40/50	
110	Male Adapter Plastic Threaded-MAPT(SCH 80)	Pc		
	MAPT 2½",3",4"		20/25/30	
111	End Cap (SCH 40 & 80)	Pc		
	End Cap 2½",3",4",6"		50/60/70/75	
112	Union (SCH 80)	Pc		
	Union 2½",3",4"		30/35/40	
113	Flange with Gasket-End Cap Open(SCH 40&80)	Pc		
	Flange with Gasket 2½",3",4",6"		30/35/40/45	
114	Flange with Gasket-End Cap Closed(SCH 40&80)	Pc		
	Flange with Gasket 2½",3",4",6"		30/35/40/45	
115	SS Bolts for Butterfly Valves (M16)	Pc		
	SS Bolts for Butterfly Valves 125mm,150mm,160mm		100/120/130	
116	SS Bolts for Butterfly Valves (M12)	Pc		
	Butterfly Valves 1½",2",2½",3",4",6"		100/110/120/130/140/150	
117	Ball Valve	Pc		
	Ball Valve 2½",3",4"		9500/12500/18000	
118	Long Concealed Valve	Pc		
	Valve ½" (½" Quarter Turn Spindle)		1200	
	Valve ½" (½" Full Turn Spindle)		1200	
	Valve ¾" (½" Quarter Turn Spindle)		1300	
	Valve ¾" (½" Full Turn Spindle)		1300	
	Valve ¾" (¾" Quarter Turn Spindle)		1300	
	Valve ¾" (¾" Full Turn Spindle)		1300	
	Valve 1" (¾" Quarter Turn Spindle)		1350	
	Valve 1" (¾" Full Turn Spindle)		1350	
119	Short Concealed Valve	Pc		
	Valve ½" (½" Quarter Turn Spindle)		600	
	Valve ½" (½" Full Turn Spindle)		600	
	Valve ¾" (½" Quarter Turn Spindle)		600	
	Valve ¾" (½" Full Turn Spindle)		600	
	Valve ¾" (¾" Quarter Turn Spindle)		600	
	Valve ¾" (¾" Full Turn Spindle)		600	
	Valve 1" (¾" Quarter Turn Spindle)		600	
	Valve 1" (¾" Full Turn Spindle)		600	
120	Single Lever Concealed Diverter(Tap & Shower)	Pc		

120	Diverter (Medium Flow) ¾"	Pc	200	
	Diverter (High Flow) ¾"		200	
121	Front Plates for single Lever Concealed Diverter(Tap and Shower-Medium Flow)	Pc		
	Oval Design		80	
	Arch Design		80	
	Round Design		80	
122	Front Plates for single Lever Concealed Diverter(Tap and Shower-High Flow)	Pc		
	Oval Design		80	
	Arch Design		80	
	Round Design		80	
	Single Lever Concealed Diverter (Shower) ¾"		80	
123	Front Plates for single Lever Concealed Diverter(Shower)	Pc		
	Oval Design		50	
	Arch Design		50	
	Round Design		50	
124	Concealed Flush Valve	Pc		
	Concealed Flush Valve 3.2x3.2ml,4.0x3.2ml		200	
125	Y Strainer	Pc		
	Y Strainer 2.5ml,3.2ml		200	
126	Water Hammer Arrestor	Pc		
	Type - A (½"x½"x½")		80	
	Type - B (¾"x¾"x¾")		80	
127	Spares for CPVC Concealed valve (Brass Mechanism)	Pc		
	Extension Tube Long		2	
	Extension Tube Short		2	
	Flange		2	
	Knobs (Plastic)		2	
	Knobs (Round)		2	
	Knobs (Square)		2	
	Knobs (Triangle)		2	
	Allen Key(for round Knob)		2	
	Grub Screw(for round Knob)		2	
	Screw with Washer(for triangle and square Knob)		2	
	Red and Blue Buttons		8	
	Rubber Washer		2	
	Threaded End Plug		2	
128	Spares for Diverter	Pc		

128	Spindle (Medium Flow)	Pc	80	
129	Spindle (High Flow)	Pc	80	
130	Sleeve Flange (Medium flow)	Pc	90	
131	Sleeve Flange (High Flow)	Pc	80	
132	Body Sleeve & O-ring(Medium flow)	Pc	2	
133	Body Sleeve & O-ring (High flow)	Pc	2	
134	Cartridge (Medium flow)	Pc	7	
135	Cartridge (High flow)	Pc		
136	Hex Nut (Medium flow)	Pc	50	
137	Hex Nut (High flow)	Pc	30	
138	Extension Tube (High flow)	Pc	80	
139	Push Button (Medium flow)	Pc	9	
140	FV Operating Mechanism	Pc	80	
141	FV Wall Flange with Washer	Pc	70	
142	YS Filter Mesh 1", 1¼"	Pc	200	
143	YS Hex Nut 1", 1¼"	Pc	5	
144	CPVC Stop Cock (¾", 1")	Pc	890/940	

Signature: _____

Full Name: _____

Address: _____

Dated: ___/___/2025

Mobile No.: