

SAINIK SCHOOL IMPHAL

LIST OF WATER SUPPLY MAINT ITEMS: 2024-25

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
1	Alum Ferric	Kg		
2	Ball Cork (1/2", 3/4", 1" & 1 1/2")	Pc		
3	Bip Cock 2 in 1 (1/2", 3/4", 1")	Pc		
4	Bleaching Powder	Kg		
5	Brass Stop Cock 1/2", 3/4", 1", 1 1/2", 2", 3" & 4"	Pc		
6	Brass Water Tape - 1/2", 3/4", 1", 1 1/2", 2"	Pc		
7	Chain Wrench (Adjustable upto 4")	Pc		
8	Chrome Water Tape 1/2", 3/4", 1", 2"	Pc		
9	Clamp with Nut & Bolt	Kg		
10	Coir Rope	Kg		
11	G.I. Elbow Diff Sizes (1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 3", 4")	Pc		
12	G.I. Elbow Reducer Diff Sizes (1/2"-3/4", 3/4"-1", 1"-1 1/2", 2"-1 1/2", 2"-3/4", 2"-1", 2"-1 1/2", 3"-2", 4"-3")	Pc		
13	G.I. End Cock (1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 4")	Pc		
14	G.I. Nipple 4"xDiff Sizes (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Pc		
15	G.I. Nipple 6"xDiff Sizes (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Pc		
16	G.I. Pipe 1/2", 3/4", 1", 1 1/2", 2", 2 1/2", 4"x20'	Pc		
17	G.I. Reducer Diff Sizes (1/2"-3/4", 3/4"-1", 1"-1 1/2", 2"-1 1/2", 2"-3/4", 2"-1", 2"-1 1/2", 3"-2", 4"-2")	Pc		
18	G.I. Socket Size (1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 4")	Pc		
19	G.I.T-socket Size (1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 4")	Pc		
20	G.I. T Reducer (1/2"-3/4", 1/2"-1", 1/2"-1 1/2", 1/2"-2", 3/4"-1", 3/4"-1", 3/4"-1 1/2", 3/4"-2", 1"-1 1/2", 1"-2", 1 1/2"-2", 3"-2", 4"-2")	Pc		
21	G.I. Mechanical Joint (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Pc		
22	PVC Hose Pipe 1", 2", 3", 4"	Pc		
23	MS Stop Corck (3", 4", 6" & 8")	Pc		
24	M-Seal	Pkt		
25	Nut & Bolt of (Dif Sizes)	Kg		
26	Old Bicycle/Truck Tube (Rejected)	Kg		
27	Pipe Ceiling Tap (Tafflown)	Roll		
28	Pipe Wrench (Adjustable upto 4")	Kg		
29	PVC / Alkathene Pipe (1/2", 3/4", 1", 1 1/2", 2", 3", 4")	Kg		
30	PVC Connector Pipe (Geyser / Wash Basin)	Set		
31	PVC Flexible Water Pipe (1/2", 3/4", 1", 1 1/2", 2")	Kg / Coil		
32	Wash Basin Pillar Cork	Pc		
33	CPVC Pipe Class I (3mtr & 5Mtr)	Pc		
	CPVC Pipe 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
34	CPVC Elbow 90°	Pc		
	CPVC Elbow 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
35	CPVC Elbow Reducer 90°	Pc		
	CPVC Elbow Reducer 3/4"x1/2", 1x1/2", 1x3/4", 1 1/4"x3/4", 1 1/4"x1", 1 1/4"x1", 1 1/2"x3/4", 1 1/2"x1", 1 1/2"x1 1/4", 2 "x3/4", 2"x1", 2"x1 1/4", 2"x1 1/2"			
36	CPVC Elbow 45°	Pc		
	CPVC Elbow 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" 3 Way Elbow 3/4"			
37	Sweep Bend(Socket at both sides)	Pc		
	Sweep Bend 3/4", 1, 1 1/4", 1 1/2", 2"			
38	Step Over Bend	Pc		
	Step Over Bend 1/2", 3/4", 1, 1 1/4", 1 1/2" (F), 2" (F)			
39	Tee (CPVC)	Pc		
	Tee 1/2", 3/4", 1, 1 1/4", 1 1/2", 2"			
40	Reducer Tee (CPVC)	Pc		
	Reducer Tee 1/2"x1/2"x3/4", 3/4"x1/2"x1/2", 3/4"x1/2"x3/4"			
	Reducer Tee 3/4"x3/4"x1/2", 1x1x1/2", 1x1x3/4"			
	Reducer Tee 1 1/4"x1 1/4"x1/2", 1 1/4"x1 1/4"x3/4"			
	Reducer Tee 1 1/4"x1 1/4"x1", 1 1/2"x1 1/2"x1/2"			
	Reducer Tee 1 1/2"x1 1/2"x3/4", 1 1/2"x1 1/2"x1"			
	Reducer Tee 1 1/2"x1 1/2"x1 1/4", 2"x2"x1/2"			
	Reducer Tee 2"x2"x3/4", 2"x2"x1", 2"x2"x1 1/4" Reducer Tee 2"x2"x1 1/2"			
41	Cross Tee (CPVC)	Pc		
	Cross Tee 1/2", 3/4", 1"			
42	Coupler (Socket) CPVC	Pc		
	Coupler (Socket) 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
43	Reducer Coupler (CPVC)	Pc		
	Reducer Coupler 3/4"x1/2", 1x1/2", 1"x3/4", 1 1/4"x1/2"			
	Reducer Coupler 1 1/4"x3/4", 1 1/4"x1", 1 1/2"x1/2"			
	Reducer Coupler 1 1/2"x3/4", 1 1/2"x1", 1 1/2"x1 1/4"			
	Reducer Coupler 2"x1/2", 2"x3/4", 2"x1", 2"x1 1/4" Reducer Coupler 2"x1 1/2"			
44	Female Adapter Plastic Threaded	Pc		
	FAPT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
45	Male Adapter Plastic Threaded	Pc		
	MAPT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
46	Reducing Male Adapter Plastic Threaded (RMAPT)	Pc		
	RMAPT 3/4"x1/2", 1"x3/4"			
	End Cap (CPVC) End Cap 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
47	Flange with Gasket-End Cap Open	Pc		
	End Cap Open 1", 1 1/4", 1 1/2", 2"			
48	Flange with Gasket-End Cap Closed	Pc		
	End Cap Closed 1", 1 1/4", 1 1/2"			

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
49	Tank Nipple	Pc		
	Tank Nipple 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2"x 1/2", 3", 4"			
50	Tank Nipple (with one side pipe fitment)	Pc		
	Tank Nipple 3/4", 1", 1 1/4", 1 1/2", 2"			
51	Hex Nipple	Pc		
	Hex Nipple 3/4", 1", 1 1/4", 1 1/2", 2"			
52	Union (GI/CI/Brass)	Pc		
	Union 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
53	Non Return Valve (GI/CI/Brass)	Pc		
	Non Return Valve 3/4", 1", 1 1/4"			
54	Ball Valve (GI/CI/Brass)	Pc		
	Ball Valve 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
55	Ball Valve Handle	Pc		
	Ball Valve Handle 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
56	Tee Holder	Pc		
	Tee Holder 1/2"x 1/2"x 1/2", 3/4"x 3/4"x 1/2", 1"x 1"x 1/2"			
57	Elbow Holder	Pc		
	Elbow Holder 1/2"x 1/2", 1/2"x 3/4"			
58	Threaded End Plug	Pc		
	Threaded End Plug 1/2", 3/4"			
59	Expansion Loop	Pc		
	Expansion Loop 1/2", 3/4", 1", 1 1/4", 1 1/2", 2"			
60	Elbow 90°(Brass)	Pc		
	Elbow 90°(Brass) 1/2"x 1/2", 3/4"x 1/2", 3/4"x 3/4", 1"x 1/2"			
	Elbow 90°(Brass) 1"x 3/4", 1"x 1", 1 1/4" x 1/2"			
	Elbow 90°(Brass) 1 1/4" x 3/4", 1 1/4" x 1 1/4"			
61	Brass Elbow with Clamp 3/4"x 1/2"	Pc		
	Tee (Brass)			
	Tee (Brass) 1/2"x 1/2"x 1/2", 3/4"x 3/4"x 1/2", 3/4"x 3/4"x 3/4"			
	Tee (Brass) 1"x 1"x 1/2", 1"x 1"x 3/4", 1"x 1"x 1"			
	Tee (Brass) 1 1/4" x 1 1/4"x 1/2"			
62	Male Adapter Brass Threaded(MABT)	Pc		
	MABT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3"			
63	Reducing Male Adapter Brass Threaded(RMABT)	Pc		
	RMABT 3/4"x 1/2", 1"x 1/2", 1"x 3/4"			
64	Union-MABT	Pc		
	Union-MABT 3/4", 1"			
65	Female Adapter Brass Threaded(FABT)	Pc		
	FABT 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3"			
66	Reducing Female Adapter Brass Threaded(RFABT)	Pc		
	RFABT 3/4"x 1/2", 1"x 1/2", 1"x 3/4", 1/4"x 1/2"			
67	Union FABT	Pc		
	Union FABT 3/4", 1"			
68	Brass Elbow MABT 3/4"x 1/2"	Pc		
	Brass Tee-MABT 3/4"x 3/4"x 1/2"			
	Brass Elbow Long 3/4"x 1/2"			

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
69	3 in 1 Mixer Adaptor All Top(6")	Pc		
	3 in 1 Mixer Adaptor ¾"x½", 1"x½"			
70	Top and Bottom (6")	Pc		
	Top and Bottom (6") ¾"x½", (6") 1"x½"			
71	Top and Side (6")	Pc		
	Top and Side (6") ¾"x½", (6") 1"x½"			
72	All Top (7")	Pc		
	All Top (7") ¾"x½", (7") 1"x½"			
73	Top and Bottom (7")	Pc		
	Top and Bottom (7") ¾"x½", (7") 1"x½"			
74	Top and Side (7")	Pc		
	Top and Side (7") ¾"x½", (7") 1"x½"			
75	3 in 1 Mixer Adaptor with MABT Top ¾"x½", ¾"x½", ¾"x½"	Pc		
	Kitchen Mixer Adaptor Down ¾"x½"			
	Kitchen Mixer Adaptor Straight ¾"x½"			
76	Extension Nipple - CP	Pc		
	Extension Nipple - CP 1½"x1", ½"x1½", ½"x2"			
	Extension Nipple - CP ½"x2½", ½"x3"			
77	Ball Valve with Union Ends	Pc		
	Ball Valve with Union Ends ¾", 1", 1¼", 1½", 2"			
78	Concealed Valve Quarter Turn-Mini Spindle with Plastic Knob ½", ¾", 1"	Pc		
79	Ball Valve with Brass Threaded(One Side) ¾", 1", 1¼"	Pc		
	Ball Valve with Brass Threaded(Two Side) ¾", 1", 1¼"			
80	Nail Clamp ¾", 1"	Pc		
81	Powder coated Metal Clamp	Pc		
	Powder coated Metal Clamp ½", ¾", 1", 1¼", 1½", 2"			
82	SS Clamp	Pc		
	SS Clamp ½", ¾", 1", 1¼", 1½", 2"			
83	Plastic Clamp	Pc		
	Plastic Clamp ½", ¾", 1", 1¼", 1½", 2"			
84	Rubber Washer-Tank Nipple	Pc		
	Rubber Washer-Tank Nipple ½", ¾", 1", 1¼", 1½", 2"			
85	Rubber Washer-Union	Pc		
	Rubber Washer-Union ½", ¾", 1", 1¼", 1½", 2"			
86	Rubber Washer-FAPT	Pc		
	Rubber Washer-FAPT ½", ¾", 1", 1¼", 1½", 2"			
87	Rubber Gasket for Flange	Pc		
	Rubber Gasket for Flange 1", 1¼", 1½", 2", 2½", 3"			
	Rubber Gasket for Flange 4", 6"			
88	1 Step CPVC Yellow Medium solvent Cement 15ml, 29.5ml, 59ml	Pc		
89	2 Step CPVC Heavy Duty Orange Solvent Cement 118ml	Pc		
90	Purple Primer Solvent Cement 237ml	Pc		

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
91	CPVC Pipes 3mtrs (SCH 40)	Pc		
	CPVC Pipes 2½",3",4",6"			
92	CPVC Pipes 5 mtrs (SCH 40)	Pc		
	CPVC Pipes 2½",3",4",6"			
93	CPVC Pipes 3mtrs (SCH 80)	Pc		
	CPVC Pipes 2½",3",4",6"			
94	CPVC Pipes 5 mtrs (SCH 80)	Pc		
	CPVC Pipes 2½",3",4",6"			
95	Elbow 90° (SCH 40)	Pc		
	Elbow 90° - 2½",3",4",6"			
96	Elbow 90° (SCH 80)	Pc		
	Elbow 90° - 2½",3",4",6"			
97	Elbow 45° (SCH 80)	Pc		
	Elbow 45° - 2½",3",4"			
98	Sweep Bend without Socket(SCH 40)	Pc		
	Sweep Bend without Socket 2½",3",4",6"			
99	Sweep Bend without Socket(SCH 80)	Pc		
	Sweep Bend without Socket 2½",3",4",6"			
100	Tee 90° (SCH 40)	Pc		
	Tee 90° - 2½",3",4",6"			
101	Tee 90° (SCH 80)	Pc		
	Tee 90° - 2½",3",4",6"			
102	Reducer Tee (SCH 40)	Pc		
	Reducer Tee 2½"x¾",2½"x1",2½"x1¼",2½"x1½"			
	Reducer Tee 2½"x2",3"x2",3"x2½"			
103	Reducer Tee (SCH 80)	Pc		
	Reducer Tee 2½"x¾",2½"x1",2½"x1¼",2½"x1½"			
	Reducer Tee 2½"x2",3"x2",3"x2½"			
104	Coupler (SCH 40)	Pc		
	Coupler 2½",3",4",6"			
105	Coupler (SCH 80)	Pc		
	Coupler 2½",3",4",6"			
106	Reducer Coupler (SCH 40)	Pc		
	Reducer Couple 2½"x¾",2½"x1",2½"x1¼" Reducer Couple 2½"x1½",2½"x2",3"x2",3"x2½"			
107	Reducer Coupler (SCH 80)	Pc		
	Reducer Couple 2½"x¾",2½"x1",2½"x1¼" Reducer Couple 2½"x1½",2½"x2",3"x2",3"x2½"			
108	Bushings (SCH 80)	Pc		
	Bushings 2½"x2",3"x2",3"x2½",4"x2",4"x2½"			
	Bushings 4"x3",6"x2½",6"x3",6"x4"			
	Bushings (SCH 40) Bushings 6"x2",6"x2½",6"x3",6"x4"			
109	Female Adapter Plastic Threaded-FAPT(SCH 80)	Pc		
	FAPT 2½",3",4"			

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
110	Male Adapter Plastic Threaded-MAPT(SCH 80)	Pc		
	MAPT 2½",3",4"			
111	End Cap (SCH 40 & 80)	Pc		
	End Cap 2½",3",4",6"			
112	Union (SCH 80)	Pc		
	Union 2½",3",4"			
113	Flange with Gasket-End Cap Open(SCH 40&80)	Pc		
	Flange with Gasket 2½",3",4",6"			
114	Flange with Gasket-End Cap Closed(SCH 40&80)	Pc		
	Flange with Gasket 2½",3",4",6"			
115	SS Bolts for Butterfly Valves (M16)	Pc		
	SS Bolts for Butterfly Valves 125mm,150mm,160mm			
116	SS Bolts for Butterfly Valves (M12)	Pc		
	Butterfly Valves 1½",2",2½",3",4",6"			
117	Ball Valve	Pc		
	Ball Valve 2½",3",4"			
118	Long Concealed Valve	Pc		
	Valve ½" (½" Quarter Turn Spindle)			
	Valve ½" (½" Full Turn Spindle)			
	Valve ¾" (½" Quarter Turn Spindle)			
	Valve ¾" (½" Full Turn Spindle)			
	Valve ¾" (¾" Quarter Turn Spindle)			
	Valve ¾" (¾" Full Turn Spindle)			
	Valve 1" (¾" Quarter Turn Spindle)			
119	Short Concealed Valve	Pc		
	Valve ½" (½" Quarter Turn Spindle)			
	Valve ½" (½" Full Turn Spindle)			
	Valve ¾" (½" Quarter Turn Spindle)			
	Valve ¾" (½" Full Turn Spindle)			
	Valve ¾" (¾" Quarter Turn Spindle)			
	Valve ¾" (¾" Full Turn Spindle)			
	Valve 1" (¾" Quarter Turn Spindle)			
120	Single Lever Concealed Diverter(Tap & Shower)	Pc		
	Diverter (Medium Flow) ¾"			
	Diverter (High Flow) ¾"			
121	Front Plates for single Lever Concealed Diverter(Tap and Shower-Medium Flow)	Pc		
	Oval Design			
	Arch Design			
122	Front Plates for single Lever Concealed Diverter(Tap and Shower-High Flow)	Pc		
	Oval Design			
	Arch Design			
	Round Design			
	Single Lever Concealed Diverter (Shower) ¾"			

Sl.No.	Items	A/U	Quoted Rate	
			In Figure	In Words
123	Front Plates for single Lever Concealed Diverter(Shower)	Pc		
	Oval Design			
	Arch Design			
	Round Design			
124	Concealed Flush Valve	Pc		
	Concealed Flush Valve 3.2x3.2ml,4.0x3.2ml			
125	Y Strainer	Pc		
	Y Strainer 2.5ml,3.2ml			
126	Water Hammer Arrestor	Pc		
	Type - A (1/2"x1/2"x1/2")			
	Type - B (3/4"x3/4"x3/4")			
127	Spares for CPVC Concealed valve (Brass Mechanism)	Pc		
	Extension Tube Long			
	Extension Tube Short			
	Flange			
	Knobs (Plastic)			
	Knobs (Round)			
	Knobs (Square)			
	Knobs (Triangle)			
	Allen Key(for round Knob)			
	Grub Screw(for round Knob)			
	Screw with Washer(for triangle and square Knob)			
	Red and Blue Buttons			
	Rubber Washer			
	Threaded End Plug			
128	Spares for Diverter	Pc		
	Spindle (Medium Flow)			
129	Spindle (High Flow)	Pc		
130	Sleeve Flange (Medium flow)	Pc		
131	Sleeve Flange (High Flow)	Pc		
132	Body Sleeve & O-ring(Medium flow)	Pc		
133	Body Sleeve & O-ring (High flow)	Pc		
134	Cartridge (Medium flow)	Pc		
135	Cartridge (High flow)	Pc		
136	Hex Nut (Medium flow)	Pc		
137	Hex Nut (High flow)	Pc		
138	Extension Tube (High flow)	Pc		
139	Push Button (Medium flow)	Pc		
140	FV Operating Mechanism	Pc		
141	FV Wall Flange with Washer	Pc		
142	YS Filter Mesh 1", 1 1/4"	Pc		
143	YS Hex Nut 1", 1 1/4"	Pc		
144	CPVC Stop Cock (3/4", 1")	Pc		